

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representation of
The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



Consumer and
Corporate Affairs Canada

Commission
des Corporations Canada

(11) (A) No. 1 273 662

(43) ISSUED 900904

(52) CLASS 273-151

(51) INT. CL. ⁴ A63B 39/02

(19) (CA) **CANADIAN PATENT** (12)

(54) Lacrosse Stick Having Open Sidewall Structure

(72) Tucker, Richard B. C.;
Lewis, Fielding H., Jr.;
Davis, Jackie L.,
U. S. A.

(73) Granted to Burnett (UN) T & Co., Inc
U. S. A.

(21) APPLICATION No. 918,330

(22) FILED 860916

(30) PRIORITY DATE (US) U. S. A. (77B.067) 850920

No. OF CLAIMS

9

Canada

LACROSSE STICK HAVING OPEN SIDEWALL STRUCTURE

FIELD OF INVENTION

5 This invention relates in general to new and useful improvements in lacrosse sticks. More particularly, it relates to the construction of a new lightweight lacrosse stick comprising a double-wall, synthetic plastic head having an opening or openings in the sidewalls thereof.

BACKGROUND OF INVENTION

10 Double-wall, synthetic heads for lacrosse sticks, referred to at times as double-wall, synthetic lacrosse sticks, are described in Tucker et al, United States Patent No. 3,507,495. The lacrosse stick defined in the Tucker et al patent has improved feel, balance, and durability as well as uniformity and economy of manufacture in comparison to the
15 single-wall, wooden, and handmade lacrosse sticks used since ancient times. As a result, the popularity of the game of lacrosse has increased greatly, thereby increasing the level of competition and skill among lacrosse players.

20 Although the above-noted double-wall construction of lacrosse sticks is highly satisfactory as determined by the substantially universal acceptance of these sticks, it has now been determined, due to the degree of competition and the superior skill among present day lacrosse players, that a lighter weight, easier handling lacrosse stick would
25

be useful to the lacross player. A lightweight lacrosse stick will provide the lacrosse player with a lacrosse stick enabling optimum speed and handling during the lacrosse match. The stick must, however, at the same time, retain the required strength and durability.

PRIMARY OBJECTS AND
GENERAL DESCRIPTION OF THE INVENTION

Accordingly, this invention provides a new lightweight lacrosse stick having a double-wall, synthetic head having an opening or openings in the sidewalls to provide lightness and easy handling while retaining the strength and durability of the prior art lacrosse sticks having closed, or substantially closed, or solid sidewalls.

Another object of this invention is to provide a new lightweight lacrosse stick having a double-wall, synthetic head having an opening in the sidewalls in a trestle-like configuration.

Another object of this invention is to provide a new lightweight lacrosse stick having sidewalls wherein from approximately 7.0% to 65% of each sidewall surface is open, preferably in the range of from about 25% to 35%.

Still another object of this invention is to provide a new lightweight lacrosse stick having a double-wall, synthetic head having an opening or openings in the sidewalls which provides improved handling and playing characteristics.

Other objects and advantages of the present invention will become apparent from the following general and detailed description taken in conjunction with the appended drawing.

5 Briefly, the objects and advantages of the present invention are obtained by providing a lacrosse stick having a head with a generally V-shaped frame adapted to receive a web. The frame is defined by two sidewalls joined at a juncture and diverging therefrom. A transverse wall joins the ends of the sidewalls opposite of the juncture. The area of the transverse wall is at times referred to as the scoop end of the head. This is as shown in the aforesaid Tucker et al patent. According to the present invention the 10 sidewalls of the head are made or constructed having one or more openings therein. The opening or openings in the sidewalls, while providing unique advantages in the handling of the lacrosse stick, do not in any way detract from the playability characteristics of the lacrosse stick. The 15 lacrosse sticks of this invention have the strength and durability found in the prior art lacrosse sticks such as in the aforesaid Tucker et al patent.

DRAWING AND DETAILED DESCRIPTION

In the drawing,

20 FIGURE 1 is a rear elevational view of the lacrosse stick embodying the invention;

FIGURE 2 is a side elevational view showing the stick when looking from the right of FIGURE 1;

25 FIGURE 3 is a front elevational view of the stick shown in FIGURES 1 and 2;

FIGURE 4 is a section view of FIGURE 1 showing the lacrosse stick head of the invention in bottom plan; and

FIGURE 5 is a section view of FIGURE 1 showing the lacrosse stick head of the invention in top plan.

30 Referring to the drawing, lacrosse stick, 10 comprises a handle 20 shown in phantom lines and broken away, and a double-wall, synthetic head 30. The head 30 comprises

5 a generally V-shaped frame having a juncture 32, sidewalls 34 and 36, a transverse wall 38 joining the sidewalls at the end opposed to juncture 32, and a stop member 40 formed in the embodiment of FIGURE 1 integral with the sidewalls. As shown, handle 20 fits into and through juncture 32 and abuts stop member 40. A web (not shown) is attached to the rear portion of the head through string holes 50 and 52 in the sidewalls, 54 in the stop member, and 56 in the transverse wall. The aforementioned features of the lacrosse sticks are all shown generally in Tucker et al, U.S. Patent No. 10 3,507,495. In accordance with the present invention, however, the sidewalls 34 and 36 of head 30 have one or more openings generally designated by the numeral 60 to provide for a lighter weight superior handling lacrosse stick.

15 Specifically, FIGURES 1-5 show the sidewalls 34 and 36 having an opening, generally designated by numeral 60, in each sidewall having a trestle-like structure, as best shown in FIGURE 2. The trestle-like structure is a preferred embodiment of the invention as it is one means of providing 20 an opening in the sidewalls for a lighter stick while concurrently providing the required support, strength, and durability in the lacrosse stick.

25 While a preferred embodiment of the invention utilizes an opening 60 in each sidewall in a trestle-like structure, the invention includes an opening in each sidewall in any shape, including as an oval or a rectangle. Further, the invention may be comprised of one or more openings in the sidewalls in any of numerous shapes such as ovals, circles, squares, triangles, rectangles, or other polygonal 30 structures. The only limiting factor in the number, size, or shape of the openings is in providing a lacrosse stick with the required strength and durability, which will vary depending on the nature of the game and player, e.g., men's, women's, or children's lacrosse.

Referring again to the sidewalls 34 and 36, and specifically to sidewall 34 as shown in FIGURE 2, the sidewall contains an opening 60 in a trestle-like configuration with specific openings 61, 62, 63, 64, 65, 66, and 67 each in a triangular shape. In the embodiment shown, the area of each of the sidewalls 34 and 36 is 12.99 square inches. The trestle-like configuration has an open area of 3.23 square inches. Specifically, the height, base, and area of triangles 61-67 are as follows:

Opening	Base	Height	Area
61	1.750	.970	.8488
62	.915	1.140	.5216
63	.960	1.100	.5280
64	.880	1.050	.4620
65	.965	1.125	.5428
66	.760	.900	.3420
67	1.600	.800	.6400

for a total area of 3.8852. The open area is, therefore, 29.91% of the total area of the sidewall.

The sidewall 36 also contains a plurality of openings 50 and 52 required for stringing the webbing material as is conventional. The preferred embodiment shown in the drawing includes eleven 5/32 inch diameter stringing holes 50 and two 7/32 inch diameter stringing holes 52. The minimum number of stringing holes in the sidewall for a useful lacrosse stick are six 5/32 inch diameter holes and one 7/32 inch diameter hole. The area of each of string holes 50 is .0192 square inches and string holes 52 is .0377 square inches, or a total area of .2866 square inches. Accordingly, the total area of openings in each sidewall 34 and 36, including string holes and trestle-like openings, is 4.1718 square inches or 32.12% of the entire sidewall.

While the preferred embodiment as set forth above provides for a 32.12% opening in each sidewall 34 and 36,

th percentage opening may vary dependant on the specific characteristics desired for the lacrosse stick. Specifically, it has been found that the percentage amount of opening can be in the range of about 7% to 65% while providing the benefits of the invention. It has been found that an opening in excess of about 7% of the sidewall will provide a lighter weight, easier handling lacrosse stick. Further, by controlling the opening, it has been found that total openings of up to about 65% may be utilized while still retaining the strength and durability required for a lacrosse stick.

FIGURE 3 more specifically illustrates the preferred shape and configuration of the invention as shown in FIGURE 1, but as seen from a front elevational view.

FIGURE 4 more specifically illustrates the preferred shape and configuration of the invention as seen in bottom plan. Specifically, it is noted that in making or constructing the preferred embodiment of the invention, the trestle-like openings 60 have ridges 70 and 72 outwardly extending from the sidewalls 34 and 36 surrounding the opening as well as outwardly extending ridges 74 and 76 forming the trestle-like supports. The outwardly extending ridges 70, 72, 74, and 76 increase the thickness of the sidewalls and provide additional strength and support to the lacrosse stick head.

As best seen in FIGURES 1 and 5, the inside portion of sidewalls 34 and 36 are smooth without any ridges in order to facilitate throwing and catching of the lacrosse ball.

As seen in FIGURES 1 and 4, the handle 20 is inserted through throat 32 into stop 40. The handle 20 in the preferred embodiment is octagonal, although other shaped

handles may be used. The handle can be held in place by a screw or other means inserted through hole 80 as shown in FIGURE 1 if desired.

5 The material forming the lacrosse stick head of the invention must have physical properties providing, inter alia, toughness, impact resistance, and limited flexibility as well as shatterproof qualities. The preferred material is a moldable thermoplastic or thermosetting elastomer such as nylon or the urethanes which are well known in the art, and are made from reactants which are normally blended in 10 the liquid state and cast into suitable molds where they are heated to produce the cured and shaped lacrosse stick heads. For example, the lacrosse stick head may be formed by injection molding of one or more synthetic polymeric materials.

15 The complete process of forming the lacrosse stick head of the invention involves several operations which are performed in sequence and in combination to produce the finished product of this invention, such operations being defined in Tucker et al, U.S. Patent No. 3,507,495.

20 Various modifications will be recognized by one skilled in the art based on the present teaching. For example, to make the stick even lighter, it can be desirable to include open areas in the scoop or transverse wall of the head. Thus, although only a select preferred embodiment has 25 been specifically illustrated and described herein, it is to be understood that various modifications and embodiments can be utilized to provide the lightweight lacrosse stick of the present invention without departing from the spirit of the invention and scope of the appended claims.

The embodiments of the invention in which an exclusive pr perty or privilege is claimed are defined as follows:

1. A head for a lacrosse stick comprising a generally V-shaped frame constructed of a synthetic polymeric material defined by two sidewalls joined at a juncture and diverging therefrom, a transverse wall joining the ends of said sidewalls opposite of said juncture, said frame being adapted to receive a web, and said sidewalls having openings therein, the area of said openings including string holes comprising in the range of from about 7% to 65% of the entire area of said sidewalls.
- 5 2. The head for a lacrosse stick of claim 1 wherein the area of said openings is in the range of 25% to 35% of the entire area of said sidewalls.
3. The head for a lacrosse stick of claim 1 wherein the area of said opening is in the range of 30% to 33% of the entire area of said sidewalls.
4. The head for a lacrosse stick of claim 3 wherein said openings are in a trestle-like configuration comprised of three to seven triangular openings.
5. The head of a lacrosse stick of claim 4 wherein said trestle-like configuration is comprised of seven triangular openings.
6. The head of a lacrosse stick of claim 5 wherein said trestle-like configuration extends outwardly from said sidewalls.

1273662

-9-

7. The head for a lacrosse stick of claim 1 wherein said openings are in a polygonal shape.

8. The head for a lacrosse stick of claim 7 wherein said polygonal shaped openings are triangular.

9. The head for a lacrosse stick of claim 8 wherein said head is formed by injection molding of a synthetic polymeric material.

1273662

2-1




FIG. 1







FIG. 2

INVENTORS
RICHARD B. C. TUCKER
FIELDING H. LEWIS, JR.
JACKIE L. DAVIS

Meredith & Truitt
PATENT AGENTS



INVENTORS
 RICHARD B. C. TUCKER
 FIELDING H. LEWIS, JR.
 JACKIE L. DAVIS

Meredith & Tillingham
 PATENT AGENTS